Changod a lide from non-ASCI to ASCII ENTERED Vertically:  Changod the margins in cases where the sequence text was "wrapped" down to the next line. Edited the Current Application Data section with the actual current number. The number inputted to applicant was the prior application data; or content of the mandatory heading and subheadings for "Current Application Data".  Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an in Changed the spelling of a mandatory field (the headings or subheadings), specifically:  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were the series of corrected a nucleic number at the end of a nucleic fine. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If it applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Detected exita, invalid, headings-used by an applicant, specifically:  Corrected an obvious erro: in the response, specifically:  Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:  A "Hard Pago Break; code was inserted by the applicant. All occurrences had to be deleted.	TERED Vorthod by:		0 50 / 0 570	OHERC	NPE
Changed the margins in cases where the sequence lost was "wrapped" down to the next line.  Edited a format error in the Current Application Data section, specifically:  Edited a format error in the Current Application Data section with the actual current number. The number inputted to applicant was the prior application data; or other was the mandatory heading and subheadings for "Current Application Data".  Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an in Changed the spelling of a mandatory field (the headings or subheadings), specifically:  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were corrected a nucleic number at the end of a nucleic time. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If it applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  (Inventor)  Deleted extra, invalid, headings used by an applicant, specifically:  (Inventor)  Deleted extra, invalid, headings used by an applicant, specifically:  (Inventor)  Deleted mandatory headings, specifically:  Corrected an obvious error in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	co text was 'wrapped' down to the next line.  ala section, specifically:  the actual current number. The number inputted by the other	09/699 274		CUE brocossing nails:	10/23,
Edited a format error in the Current Application Oata section, specifically:  Edited the Current Application Oata section with the actual current number. The number inputted to applicant was the prior application data; or other  Added the mandatory heading and subheadings for "Current Application Oata".  Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an in Changed the spelling of a mandatory field (the headings or subheadings), specifically.  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were the sequence numbers that were edited were corrected a nucleic number at the end of a nucleic line. SEO ID NO's edited:	ne actual current number. The number inputted by the other	Changed a file from non-ASCII to ASCII	ITEREI	Overlined by:	(ST
Edited the Current Application Data section with the actual current number. The number inputted by applicant was the prior applicable data; or other the prior application data; or other the prior application data; or other the prior application data. The prior application data the prior application data the prior application data. Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an in Changed the spelling of a mandatory field (the headings or subheadings), specifically.  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were the sequence of the sequence numbers that were edited were corrected a nucleic number at the end of a nucleic line. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If it applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  (Inventor)  Deleted extra, invalid, headings-used by an applicant, specifically:  (Inventor)  Oefelod: non-ASCII garbage at the beginning/end of files: secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text; other invalid text, such as secretary initials/filename at engage numbers throughout text.	ne actual current number. The number inputted by the other	Changed the margins in cases where the sequen	ico loxi was Wrapp	ed down to the next line	
Added the mandatory heading and subheadings for 'Current Application Data'.  Edited the 'Number of Sequences' field. The applicant spelled out a number instead of using an in Changed the spelling of a mandatory field (the headings or subheadings), specifically:  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were inserted or corrected a nucleic number at the end of a nucleic line. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If it applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Defeted extra, invalid, headings-used by an applicant, specifically:  (Inventor)  Oeleid:  Defeted mandatory headings, specifically:  Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	other	Edited a format error in the Current Application O	ala section, specific	cally: 	
Edited the 'Number of Sequences' field. The applicant spelled out a number instead of using an in Changed the spelling of a mandatory field (the headings or subheadings), specifically:  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were inserted or corrected a nucleic number at the end of a nucleic line. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Defeted extra, invalid, headings-used by an applicant, specifically:  (Inventor)  Defeted extra, invalid, headings-used by an applicant, specifically:  Corrected mandatory headings, specifically:  Corrected an obvious error in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	dings or subheadings), specifically:  It. The sequence numbers that were edited were:  If a nucleic line. SEO ID NO's edited:  It this was moved to its appropriate place.  If it is pecifically:  If it is pe	Edited the Current Application Data section with tapplicant was   The prior application data; or	he actual current no other	umber. The number inpu	iled by th
Changed the spelling of a mandatory field (the headings or subheadings), specifically.  Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were inserted or corrected a nucleic number at the end of a nucleic time. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If it applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Oeleted extra, invalid, headings-used by an applicant, specifically:  (INVENTOR)  Oeleted:  non-ASCII garbage at the beginning/end of tiles:  page numbers throughout text:  other invalid text, such as  Inserted mandatory headings, specifically:  Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	indings or subheadings), specifically:  It. The sequence numbers that were edited were:  It a nucleic tine. SEO ID NO's edited:  It is a nucleic tine as each subheading. If the place in this was moved to its appropriate place.  It is pecifically:  It is pecifically:  It is pecifically:  It is a nucleic tine as each subheading. If the place is appropriate place.  It is a nucleic tine is a nucleic tine as each subheading. If the place is a nucleic tine as each subheading. If the place is a nucleic tine as each subheading. If the place is a nucleic tine is a nucleic tine as each subheading. If the place is a nucleic tine is a nucleic tine is a nucleic tine.  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is a nucleic tine. SEO ID NO's edited:  It is	Added the mandatory heading and subheadings I	or Current Applica	tion Data*.	
Corrected the SEO ID NO when obviously incorrect. The sequence numbers that were edited were this error or corrected a nucleic number at the end of a nucleic time. SEO ID NO's edited:  Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Defeted extra, invalid, headings used by an applicant, specifically:  (Inventor)  Defeted extra, invalid, headings used by an applicant, specifically:  (Inventor)  Defeted extra, invalid, headings used by an applicant, specifically:  Corrected mandatory headings, specifically:  Corrected an obvious error in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	it. The sequence numbers that were edited were:  of a nucleic line. SEO ID NO's edited:  oust be on the same line as each subheading. If the this was moved to its appropriate place.  dings edited included:  out, specifically:  output  find of files:  cally:  cally:  cally:  d. specifically:	Edited the 'Number of Sequences' field. The app	olicant spelled out a	number instead of using	an intogo
Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Deleted extra, invalid, headings-used by an applicant, specifically:  (Inventor)  Deleted: non-ASCII garbage at the beginning/end of files: secretary initials/filename at endage numbers throughout text: other invalid text, such as such as secretary initials/filename at endage meanings, specifically:  Corrected an obvious error in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	of a nucleic line. SEO ID NO's edited:  Journal of the same line as each subheading. If the purpose of this was moved to its appropriate place.  Journal of the same line as each subheading. If the purpose of this was moved to its appropriate place.  Journal of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the purpose of the same line as each subheading. If the same line as each subheading is a same line as each subheading. If the same line as each subheading is a same line as each subheading. If the same line as each subheading is a same line as each subheading	Changed the spelling of a mandatory field (the hea	adings or subheadi	ngs), specifically:	·
Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.  Inserted colons after headings/subheadings. Headings edited included:  Defeted extra, invalid, headings-used by an applicant, specifically:  (Inventor)  Defeted:  non-ASCII garbage at the beginning/end of files:  page numbers throughout text:  other invalid foxt, such as  Inserted mandatory headings, specifically:  Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	inust be on the same line as each subheading. If the this was moved to its appropriate place.  Itings edited included:  Int, specifically:  Idend of tiles:    secretary initials/filename at end of id text, such as	Corrected the SEO ID NO when obviously incorrec	ct. The seguence r	numbers that were edited	were:
Inserted colons after headings/subheadings. Headings edited included:  Detected extra, invalid, headings-used by an applicant, specifically:  (Inventor)  Detected:  Detected:  Oetetod:  Non-ASCII garbago at the beginning/end of files:  page numbers throughout text;  other invalid text, such as  Inserted mandatory headings, specifically:  Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	this was moved to its appropriate place.  Ings edited included:  Int, specifically:  I end of files: secretary initials/filename at end of id text, such as  cally:  er case is required, or vice versa.  Id, specifically:	Inserted or corrected a nucleic number at the end	of a nucleic line. S	EO ID NO's ediled:	2
Deleted extra, invalid, headings-used by an applicant, specifically:  (/N/Untor)  Deleted:	nt, specifically:  /end of files: secretary initials/filename at end of id fext, such as  cally:  er case is required, or vice versa.  d. specifically:	Corrected subheading placement. All responses napplicant placed a response below the subheading	nust be on the same , this was moved to	e line as each subheading its appropriate place.	g. II tho
Deletod:non-ASCII *garbago* at the beginning/end of tiles: secretary initials/filename at en page numbers throughout text; other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious erro: in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically:	/end of files: secretary initials/filename at end of id fext, such as	Inserted colons after headings/subheadings. Head	dings edited include	ed:•, . ´ ·	
Inserted mandatory headings, specifically:  Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	cally:  er caso is required, or vice versa.  d. specifically:		ant, specifically:		
Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	er caso is required, or vice versa.  d. specifically:	Deletod: non-ASCII "garbago" at the beginning page numbers throughout text; other inva	g/end of files;  solid text, such as	ecretary initials/filenamo	al end of
Corrected an obvious erro: in the response, specifically:  Edited identifiers where upper case is used but lower case is required, or vice versa.  Corrected an error in the Number of Sequences field, specifically:	er caso is required, or vice versa. d. specifically:				<del></del>
Corrected an error in the Number of Sequences field, specifically:	d. specifically:	and the state of t	ically:		
<u>-</u>		Edited identifiers where upper case is used but low	ver caso is required	or vice versa.	
A "Hard Page Break" code was interest by the applicant. All occurrences had to be deleted	icant. All occurrences had to be deleted.	Corrected an orror in the Number of Sequences fie	ld, specifically:	, ,	
A Trans rago preak yeoog was inserted by the applicant. All occorrences had to do opioted.		"Hard Pago Break" gode was inserted by the app	olicant. All occurren	ces had to be deleted.	
Deloted ending stop codon in amino acid sequences and adjusted the *(A)Length: field accordingly (July 10 a Patentin bug). Sequences corrected:	s and adjusted the *(A)Length: field accordingly (erro	loted ending stop codon in amino acid sequence o to a Patentin bug). Sequences corrected:	s and adjusted the	*(A)Length:* field accordi	ngly (erro
Other:		Other:			

Examiner: The above corrections must be communicated to the applicant in the first Office Action. DO NOT send a copy of this form.

Input Set : A:\PTO.AMC.txt

```
3 <110> APPLICANT: Burian, Jan
         Kuzyk, Michael
         Thornton, Julian
        Kay, William
 8 <120> TITLE OF INVENTION: VACCINES AND AGENTS FOR INDUCING IMMUNITY AGAINST
         RICKETTSIAL DISEASES, AND ASSOCIATED PREVENTATIVE THERAPY
11 <130> FILE REFERENCE: IDC01/60485/US
13 <140> CURRENT APPLICATION NUMBER: US 09/677,374
14 <141> CURRENT FILING DATE: 2000-09-15
16 <150> PRIOR APPLICATION NUMBER: US 60/154,437
17 <151> PRIOR FILING DATE: 1999-09-17
19 <150> PRIOR APPLICATION NUMBER: NO 20004637
20 <151> PRIOR FILING DATE: 2000-09-15
22 <150> PRIOR APPLICATION NUMBER: IE 2000/0752
23 <151> PRIOR FILING DATE: 2000-09-18
25 <150> PRIOR APPLICATION NUMBER: GB 0022825.4
26 <151> PRIOR FILING DATE: 2000-09-18
28 <150> PRIOR APPLICATION NUMBER: CL 2544-2000
29 <151> PRIOR FILING DATE: 2000-09-15
31 <160> NUMBER OF SEQ ID NOS: 20
33 <170> SOFTWARE: PatentIn version 3.0
35 <210> SEQ ID NO: 1
36 <211> LENGTH: 486
37 <212> TYPE: DNA
38 <213> ORGANISM: Piscirickettsia salmonis
40 <220> FEATURE:
41 <221> NAME/KEY: CDS
42 <222> LOCATION: (1)..(486)
45 <400> SEQUENCE: 1
46 atg aac aga gga tgt ttg caa ggt agt cta att att atc agt gtg 48
47 Met Asn Arg Gly Cys Leu Gln Gly Ser Ser Leu Ile Ile Ser Val
48 1
                   5
                                       10
50 ttt tta gtt ggc tgt gcc cag aac ttt agt cgt caa gaa gtc gga gct 96.
51 Phe Leu Val Gly Cys Ala Gln Asn Phe Ser Arg Gln Glu Val Gly Ala
               20
                                   25
54 gcg act ggg gct gtt gtt ggc ggt gtt gct ggc cag ctg ttt ggt aaa 144
55 Ala Thr Gly Ala Val Val Gly Gly Val Ala Gly Gln Leu Phe Gly Lys
                               40
58 ggt agt ggt cga gtt gca atg gcc att ggt ggt gct gtt ttg ggt gga 192
59 Gly Ser Gly Arg Val Ala Met Ala Ile Gly Gly Ala Val Leu Gly Gly
62 tta att ggt tct aaa atc ggt caa tcg atg gat cag cag gat aaa ata 240
63 Leu Ile Gly Ser Lys Ile Gly Gln Ser Met Asp Gln Gln Asp Lys Ile
66 aag cta aac cag agt ttg gaa aag gta aaa gca ggg caa gtg aca cgt 288
67 Lys Leu Asn Gln Ser Leu Glu Lys Val Lys Ala Gly Gln Val Thr Arg
68
                   85
                                       90
```

Input Set : A:\PTO.AMC.txt

```
70 tgg cgt aat cca gat aca ggc aat agt tat agt gtt gag cca gtg cgt 336
71 Trp Arg Asn Pro Asp Thr Gly Asn Ser Tyr Ser Val Glu Pro Val Arg
               100
                                   105
74 act tac cag cgt tac aat aag caa gag cgt cgc cag caa tat tgt cga 384
75 Thr Tyr Gln Arg Tyr Asn Lys Gln Glu Arg Arg Gln Gln Tyr Cys Arg
           115
                               120
78 gaa ttt cag caa aag gcg atg att gca ggg cag aag caa gag att tac 432
79 Glu Phe Gln Gln Lys Ala Met Ile Ala Gly Gln Lys Gln Glu Ile Tyr
                           135
                                                140
82 ggc act gca tgc cgg caa ccg gat ggt cgt tgg caa gtc att tca aca 480
83 Gly Thr Ala Cys Arg Gln Pro Asp Gly Arg Trp Gln Val Ile Ser Thr
84 145
                       150
                                           155
86 gaa aaa
                                                                    486
87 Glu Lys
90 <210> SEQ ID NO: 2
91 <211> LENGTH: 162
92 <212> TYPE: PRT
93 <213> ORGANISM: Piscirickettsia salmonis
96 <400> SEQUENCE: 2
98 Met Asn Arg Gly Cys Leu Gln Gly Ser Ser Leu Ile Ile Ile Ser Val
99 1
                                       10
101 Phe Leu Val Gly Cys Ala Gln Asn Phe Ser Arg Gln Glu Val Gly Ala
104 Ala Thr Gly Ala Val Val Gly Gly Val Ala Gly Gln Leu Phe Gly Lys
            35
107 Gly Ser Gly Arg Val Ala Met Ala Ile Gly Gly Ala Val Leu Gly Gly
110 Leu Ile Gly Ser Lys Ile Gly Gln Ser Met Asp Gln Gln Asp Lys Ile
111 65
                        70
113 Lys Leu Asn Gln Ser Leu Glu Lys Val Lys Ala Gly Gln Val Thr Arg
                    85
116 Trp Arg Asn Pro Asp Thr Gly Asn Ser Tyr Ser Val Glu Pro Val Arg
                100
                                    105
119 Thr Tyr Gln Arg Tyr Asn Lys Gln Glu Arg Arg Gln Gln Tyr Cys Arg
            115
                                120
122 Glu Phe Gln Gln Lys Ala Met Ile Ala Gly Gln Lys Gln Glu Ile Tyr
125 Gly Thr Ala Cys Arg Gln Pro Asp Gly Arg Trp Gln Val Ile Ser Thr
126 145
                        150
                                            155
128 Glu Lys
131 <210> SEQ ID NO: 3
132 <211> LENGTH: 483
133 <212> TYPE: DNA
134 <213> ORGANISM: Piscirickettsia salmonis
136 <220> FEATURE:
137 <221> NAME/KEY: CDS
138 <222> LOCATION: (1)..(483)
141 <400> SEQUENCE: 3
142 atg cgt ggt tgc ctg cag ggc agc tct ctg atc att atc tct gtt ttc 48
```

Input Set : A:\PTO.AMC.txt

```
143 Met Arg Gly Cys Leu Gln Gly Ser Ser Leu Ile Ile Ser Val Phe
146 ctg gtg ggt tgc gcc cag aac ttc agc cgc cag gaa gtt ggc gcg gcc 96
147 Leu Val Gly Cys Ala Gln Asn Phe Ser Arg Gln Glu Val Gly Ala Ala
                                    25
                20
150 acc ggt gcg gtt gtg ggc ggt gtt gcc ggc cag ctg ttc ggt aaa ggc 144
151 Thr Gly Ala Val Val Gly Gly Val Ala Gly Gln Leu Phe Gly Lys Gly
           35
                                40
154 tet ggt egt gtg teg atg gee ate gge ggt geg gtt etg gge ggt etg 192
155 Ser Gly Arg Val Ser Met Ala Ile Gly Gly Ala Val Leu Gly Gly Leu
                            55
158 att ggc tct aaa atc ggt cag agc atg gac cag cag gat aaa atc aaa 240
159 Ile Gly Ser Lys Ile Gly Gln Ser Met Asp Gln Gln Asp Lys Ile Lys
                        70
                                            75
160 65
162 ctg aac cag tot ctg gaa aaa gtg aaa gcc ggc cag gtt act cgt tgg 288
163 Leu Asn Gln Ser Leu Glu Lys Val Lys Ala Gly Gln Val Thr Arg Trp
                    85
166 cgt aat ccg gac acc ggt aac agc tac tct gtg gaa ccg gtt cgc acc 336
167 Arg Asn Pro Asp Thr Gly Asn Ser Tyr Ser Val Glu Pro Val Arg Thr
                                    105
170 tac cag cgt tac aac aaa cag gaa cgc cgt cag cag tac tgc cgc gaa 384
171 Tyr Gln Arg Tyr Asn Lys Gln Glu Arg Arg Gln Gln Tyr Cys Arg Glu
172
           115
174 ttt cag cag aaa gcc atg atc gca ggt cag aaa cag gaa atc tac ggc 432
175 Phe Gln Gln Lys Ala Met Ile Ala Gly Gln Lys Gln Glu Ile Tyr Gly
                            135
                                                140
178 acc gcg tgc cct cag ccg gat ggc cgc tgg cag gtg att agc acc gaa 480
179 Thr Ala Cys Pro Gln Pro Asp Gly Arg Trp Gln Val Ile Ser Thr Glu
                                            155
180 145
                        150
182 aaa
                                                                     483
183 Lys
186 <210> SEQ ID NO: 4
187 <211> LENGTH: 161
188 <212> TYPE: PRT
189 <213> ORGANISM: Piscirickettsia salmonis
192 <400> SEQUENCE: 4
194 Met Arg Gly Cys Leu Gln Gly Ser Ser Leu Ile Ile Ser Val Phe
195 1
197 Leu Val Gly Cys Ala Gln Asn Phe Ser Arg Gln Glu Val Gly Ala Ala
200 Thr Gly Ala Val Val Gly Gly Val Ala Gly Gln Leu Phe Gly Lys Gly
201
                                40
203 Ser Gly Arg Val Ser Met Ala Ile Gly Gly Ala Val Leu Gly Gly Leu
                            55
206 Ile Gly Ser Lys Ile Gly Gln Ser Met Asp Gln Gln Asp Lys Ile Lys
207 65
                        70
                                            75
209 Leu Asn Gln Ser Leu Glu Lys Val Lys Ala Gly Gln Val Thr Arg Trp
212 Arg Asn Pro Asp Thr Gly Asn Ser Tyr Ser Val Glu Pro Val Arg Thr
```

Input Set : A:\PTO.AMC.txt

```
213
                100
                                    105
215 Tyr Gln Arg Tyr Asn Lys Gln Glu Arg Arg Gln Gln Tyr Cys Arg Glu
           115
                                120
                                                    125
218 Phe Gln Gln Lys Ala Met Ile Ala Gly Gln Lys Gln Glu Ile Tyr Gly
                            135
221 Thr Ala Cys Pro Gln Pro Asp Gly Arg Trp Gln Val Ile Ser Thr Glu
                        150
                                            155
224 Lys
227 <210> SEQ ID NO: 5
228 <211> LENGTH: 768
229 <212> TYPE: DNA
230 <213> ORGANISM: Piscirickettsia salmonis
232 <220> FEATURE:
233 <221> NAME/KEY: CDS
234 <222> LOCATION: (1)..(768)
236 <220> FEATURE:
237 <221> NAME/KEY: sig_peptide
238 <222> LOCATION: (1)..(285)
240 <220> FEATURE:
241 <221> NAME/KEY: mat_peptide
242 <222> LOCATION: (286)..(768)
245 <400> SEQUENCE: 5
246 atg tca gtt gaa ttc tac aac tct aac aaa tca gca caa aca aac tca 48
247 Met Ser Val Glu Phe Tyr Asn Ser Asn Lys Ser Ala Gln Thr Asn Ser
248 -95
                                             -85
                        -90
250 att aca cca ata atc aaa att act aac aca tct gac agt gat tta aat 96
251 Ile Thr Pro Ile Ile Lys Ile Thr Asn Thr Ser Asp Ser Asp Leu Asn
                    -75
                                        -70
254 tta aat gac gta aaa gtt aga tat tat tac aca agt gat ggt aca caa 144
255 Leu Asn Asp Val Lys Val Arg Tyr Tyr Tyr Thr Ser Asp Gly Thr Gln
                -60
                                     -55
258 gga caa act ttc tgg tgt gac cat gct ggt gca tta tta gga aat agc 192
259 Gly Gln Thr Phe Trp Cys Asp His Ala Gly Ala Leu Leu Gly Asn Ser
260
            -45
262 tat gtt gat aac act agc aaa gtg aca gca aac ttc gtt aaa gaa aca 240
263 Tyr Val Asp Asn Thr Ser Lys Val Thr Ala Asn Phe Val Lys Glu Thr
266 gca agc cca aca tca acc tat gat aca tat ctg gat ccg tct cat atg 288
267 Ala Ser Pro Thr Ser Thr Tyr Asp Thr Tyr Leu Asp Pro Ser His Met
                        -10
270 cgt ggt tgc ctg cag ggc agc tct ctg atc att atc tct gtt ttc ctg 336
271 Arg Gly Cys Leu Gln Gly Ser Ser Leu Ile Ile Ser Val Phe Leu
274 gtg ggt tgc gcc cag aac ttc agc cgc cag gaa gtt ggc gcg gcc acc 384
275 Val Gly Cys Ala Gln Asn Phe Ser Arg Gln Glu Val Gly Ala Ala Thr
                                25
278 ggt gcg gtt gtg ggc ggt gtt gcc ggc cag ctg ttc ggt aaa ggc tct 432
279 Gly Ala Val Val Gly Gly Val Ala Gly Gln Leu Phe Gly Lys Gly Ser
280
```

Input Set : A:\PTO.AMC.txt

```
282 ggt cgt gtg tcg atg gcc atc ggc ggt gcg gtt ctg ggc ggt ctg att 480
283 Gly Arg Val Ser Met Ala Ile Gly Gly Ala Val Leu Gly Gly Leu Ile
284 50
286 ggc tct aaa atc ggt cag agc atg gac cag cag gat aaa atc aaa ctg 528
287 Gly Ser Lys Ile Gly Gln Ser Met Asp Gln Gln Asp Lys Ile Lys Leu
                    70
                                        75
290 aac cag tet etg gaa aaa gtg aaa gee gge eag gtt aet egt tgg egt 576
291 Asn Gln Ser Leu Glu Lys Val Lys Ala Gly Gln Val Thr Arg Trp Arg
                                    90
294 aat ccg gac acc ggt aac agc tac tct gtg gaa ccg gtt cgc acc tac 624
295 Asn Pro Asp Thr Gly Asn Ser Tyr Ser Val Glu Pro Val Arg Thr Tyr
            100
296
                                105
298 cag cgt tac aac aaa cag gaa cgc cgt cag cag tac tgc cgc gaa ttt 672
299 Gln Arg Tyr Asn Lys Gln Glu Arg Arg Gln Gln Tyr Cys Arg Glu Phe
                            120
302 cag cag aaa gcc atg atc gca ggt cag aaa cag gaa atc tac ggc acc 720
303 Gln Gln Lys Ala Met Ile Ala Gly Gln Lys Gln Glu Ile Tyr Gly Thr
                        135
                                            140
306 gcg tgc cct cag ccg gat ggc cgc tgg cag gtg att agc acc gaa aaa 768
307 Ala Cys Pro Gln Pro Asp Gly Arg Trp Gln Val Ile Ser Thr Glu Lys
308
                    150
311 <210> SEQ ID NO: 6
312 <211> LENGTH: 256
313 <212> TYPE: PRT
314 <213> ORGANISM: Piscirickettsia salmonis
316 <220> FEATURE:
317 <221> NAME/KEY: SIGNAL
318 <222> LOCATION: (-95)..(-1)
321 <400> SEQUENCE: 6
323 Met Ser Val Glu Phe Tyr Asn Ser Asn Lys Ser Ala Gln Thr Asn Ser
                                            -85
324 -95
                        -90
326 Ile Thr Pro Ile Ile Lys Ile Thr Asn Thr Ser Asp Ser Asp Leu Asn
                    -75
                                        -70
329 Leu Asn Asp Val Lys Val Arg Tyr Tyr Tyr Thr Ser Asp Gly Thr Gln
                                    -55
330
                -60
332 Gly Gln Thr Phe Trp Cys Asp His Ala Gly Ala Leu Leu Gly Asn Ser
            -45
                                -40
335 Tyr Val Asp Asn Thr Ser Lys Val Thr Ala Asn Phe Val Lys Glu Thr
                            -25
                                                -20
338 Ala Ser Pro Thr Ser Thr Tyr Asp Thr Tyr Leu Asp Pro Ser His Met
                        -10
341 Arg Gly Cys Leu Gln Gly Ser Ser Leu Ile Ile Ser Val Phe Leu
                                    10
344 Val Gly Cys Ala Gln Asn Phe Ser Arg Gln Glu Val Gly Ala Ala Thr
            20
                                25
347 Gly Ala Val Val Gly Gly Val Ala Gly Gln Leu Phe Gly Lys Gly Ser
350 Gly Arg Val Ser Met Ala Ile Gly Gly Ala Val Leu Gly Gly Leu Ile
351 50
```

VERIFICATION SUMMARY

DATE: 10/23/2001

PATENT APPLICATION: US/09/677,374

TIME: 13:42:46

Input Set : A:\PTO.AMC.txt